

## SUPPLEMENT TO

The Gazette



of India

No. 35 ]

NEW DELHI, SATURDAY, SEPTEMBER 22, 1956

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1956

CHOLERA							CHOLERA						
SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)							Assam—contd.						
Ajmer							(Estd. mid-year pop. 9,817 thousands.)						
TOTAL	..	..	..	..	..	..	Total for w/e 18-8-56	..	..	9	3	..	..
(Estd. mid-year pop. 752 thousands.)							Total for w/e 11-8-56	..	..	5	3	..	..
Total for w/e 18-8-56	..	..	..	..	..	..	7-yearly mean for the week	6	3	2	1	..	..
Total for w/e 11-8-56	..	..	..	..	..	..	Bhopal						
7-yearly mean for the week	..	..	..	..	..	..	TOTAL	..	..	2	2	..	..
Andhra							(Estd. mid-year pop. 867 thousands.)						
Srikakulam	..	..	..	1	..	..	Total for w/e 18-8-56	..	..	2	2	..	..
Godavari East	..	..	..	9	4	..	Total for w/e 11-8-56	..	..	6	1	..	..
Godavari West	..	2	2	10	1	..	7-yearly mean for the week	3	1	..	..	..	..
Krishna	..	..	..	6	..	..	Bihar						
Guntur	..	..	..	25	6	..	Patna	171	59	..	..	..	..
Nellore	..	..	..	8	..	..	Gaya	19	10	..	..	..	..
Kurnool	..	..	..	16	4	..	Shahabad	87	45	1	1	..	..
Anantapur	..	..	..	12	..	..	Saran	12	5	..	..	..	..
Chittoor	..	..	..	9	1	..	Muzaffarpur	..	..	6	1	..	..
TOTAL	2	2	96	16	..	..	Monghyr	4	3	..	..	..	..
(Estd. mid-year pop. 21,238 thousands.)							Bhagalpur	31	16	..	..	..	..
Total for w/e 18-8-56	5	3	161	22	..	..	Santal Parganas	4	..	..	..	..	..
Total for w/e 11-8-56	9	6	119	38	..	..	Manbhum	..	..	2	1	..	..
7-yearly mean for the week	259	127	76	16	..	..	TOTAL	328	138	9	3	..	..
Assam							(Estd. mid-year pop. 42,198 thousands.)						
Kamrup	..	..	..	1	..	..	Total for w/e 18-8-56	269	101	8	5	..	..
Sibsagar	..	..	..	2	1	..	Total for w/e 11-8-56	575	219	13	7	..	..
TOTAL	..	..	3	1	..	..	7-yearly mean for the week	463	202	20	5	..	..

Explanation of Symbols used : C = Cases; D = Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	C.	D.
<b>Bombay</b>								<b>Madhya Pradesh—<i>contd.</i></b>							
Greater Bombay	..	..	3	..	..	..		Mandla	..	..	1	1	..	..	
Surat	..	..	2	..	..	..		Durg	..	214	112	1	1	..	..
East Khandesh	..	38	4	..	..	..		Surguja	..	..	..	..	..	..	..
West Khandesh	..	133	15	..	..	..		Rajgarh	..	19	10	..	..	..	..
Sholapur	..	..	2	2	..	..		Amravati	..	..	..	..	..	..	..
Belgaum	..	1	..	..	..	..		Ycetmal	..	4	2	..	..	..	..
Bijapur	..	2	..	..	..	..		Akola	..	..	8	1	..	..	..
Kanara	..	..	2	1	..	..		Buldana	..	1	1	1	..	..	..
TOTAL	..	174	19	9	3	..		TOTAL	..	245	128	28	6	..	..
(Estd. mid-year pop. 39,569 thousands.)								(Estd. mid-year pop. 22,109 thousands.)							
Total for w/e 18-8-56	134	24	17	6	..	..		Total for w/e 18-8-56	237	114	163	25	..	..	
Total for w/e 11-8-56	41	8	37	7	..	..		Total for w/e 11-8-56	222	105	81	10	..	..	
7-yearly mean for the week	101	32	42	9	7	2		7 yearly mean for the week	262	116	37	6	4	..	
<b>Coorg</b>								<b>Madras</b>							
TOTAL	..	..	..	..	..	..		Madras City	..	..	7	1	..	..	
(Estd. mid-year pop. 262 thousands.)								Chingleput	..	..	29	10	..	..	
Total for w/e 18-8-56	..	..	..	..	..	..		North Arcot	..	..	9	..	..	..	
Total for w/e 11-8-56	..	..	..	..	..	..		Salem	..	..	4	3	..	..	
7-yearly mean for the week	..	..	1	..	..	..		Coimbatore	..	..	2	..	..	..	
<b>Delhi</b>								South Arcot	..	..	59	24	..	..	
New Delhi	..	..	1	..	..	..		Tanjore	..	..	2	5	..	..	
Delhi Notified Area	..	..	1	..	..	..		Tiruchirappalli	..	..	2	1	..	..	
TOTAL	..	..	1	1	..	..		Mathurai	..	..	1	..	..	..	
(Census pop. 1,744 thousands.)								Ramanathapuram	..	..	1	..	..	..	
Total for w/e 18-8-56	..	..	1	1	..	..		Tirunelveli	..	..	10	1	..	..	
Total for w/e 11-8-56	..	..	1	1	..	..		Malabar	..	..	5	..	..	..	
7-yearly mean for the week	..	..	..	..	..	..		TOTAL	..	..	131	45	..	..	
<b>Himachal Pradesh</b>								(Estd. mid-year pop. 38,273 thousands.)							
Total	..	..	..	..	..	..		Total for w/e 18-8-56	..	..	106	30	..	..	
(Estd. mid-year pop. 1,003 thousands.)								Total for w/e 11-8-56	..	..	88	38	..	..	
Total for w/e 18-8-56	..	..	..	..	..	..		7 yearly mean for the week	354	195	54	15	..	..	
Total for w/e 11-8-56	..	..	..	..	..	..		<b>Manipur</b>							
<b>Madhya Pradesh</b>								TOTAL	..	..	..	..	..	..	
Wardha	..	2	..	..	..	..		(Estd. mid-year pop. 613 thousands.)							
Bhandara	..	5	3	13	3	..		Total for w/e 18-8-56	..	..	..	..	..	..	
Sagar	..	..	5	..	..	..		Total for w/e 11-8-56	..	..	..	..	..	..	

Explanation of Symbols used: C=Cases; D=Deaths; "N.R."=Information not received; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1956—*contd.*

CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE							
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
<b>Orissa</b>								<b>Uttar Pradesh <i>contd.</i></b>							
Cuttack	.	225	111	10	2	..	..	Kanpur	.	..	..	1	..	..	..
Balasore	.	18	5	..	..	..	..	Etah	.	1	1	..	..	..	..
Puri	.	11	3	1	..	..	..	Gorakhpur	.	2	2	..	..	..	..
Sambalpur	.	15	15	2	..	..	..	Jhansi	.	..	..	1	..	..	..
Baudh	.	..	..	5	..	..	..	Mirzapur	.	1	..	..	..	..	..
Ganjam	.	64	43	..	..	..	..	Moradabad	.	2	1	..	..	..	..
Dhenkanal	.	8	5	..	..	..	..	Rae Bareilly	.	4	2	..	..	..	..
TOTAL	.	341	182	18	2	..	..	Shahjahanpur	.	1	1	..	..	..	..
(Estd. mid-year pop. 15,114 thousands).								TOTAL	.	38	19	12	5	..	..
Total for w/e 18-8-56		247	140	39	6	..	..	(Estd. mid-year pop. 66,780 thousands.)							
Total for w/e 11-8-56		271	127	14	..	..	..	Total for w/e 18-8-56		93	36	9	3	..	..
7-yearly mean for the week		48	23	71	11	..	..	Total for w/e 11-8-56		119	50	18	10	..	..
<b>Punjab (I)</b>								7-yearly mean for the week		198	95	11	3	..	..
TOTAL	.	..	..	..	..	..	..	<b>Vindhya Pradesh</b>							
(Census pop. 12,641 thousands).								<b>"N.R."</b>							
Total for w/e 18-8-56		..	..	..	..	..	..	<b>West Bengal</b>							
Total for w/e 11-8-56		..	..	1	1	..	..	Burdwan	.	2	..	2	1	..	..
7-yearly mean for the week		1	..	3	1	..	..	Birbhum	.	5	2	..	..	..	..
<b>Pondicherry</b>								Bankura	.	14	6	2	1	..	..
TOTAL	.	..	..	23	23	..	..	Midnapur	.	..	..	8	2	..	..
<b>Tripura</b>								Howrah	.	12	6	4	3	..	..
TOTAL	.	..	..	..	..	..	..	24-Parganas	.	19	9	21	8	..	..
(Estd. mid-year pop. 706 thousands).								Calcutta	.	4	1	5	5	..	..
Total for w/e 18-8-56		..	..	..	..	..	..	Murshidabad	.	27	9	2	1	..	..
Total for w/e 11-8-56		..	..	..	..	..	..	Malda	.	2	2	23	5	..	..
<b>Uttar Pradesh</b>								Jalpalguri	.	..	..	1	..	..	..
Allahabad	.	..	..	1	..	..	..	TOTAL	.	85	35	68	26	..	..
Aligarh	.	15	5	6	2	..	..	(Estd. mid-year pop. 26,396 thousands).							
Bareilly	.	7	5	..	..	..	..	Total for w/e 18-8-56		48	26	35	17	..	..
Banaras	.	..	..	3	1	..	..	Total for w/e 11-8-56		92	51	42	18	..	..
Budaun	.	2	1	..	..	..	..	7-yearly mean for the week		105	44	13	6	..	..
Bahraich	.	..	..	..	2	..	..								
Bara Banki	.	3	1	..	..	..	..								

Explanation of Symbols used; C. = Cases; D. = Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1956—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE		
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.	
Grand Total for States Parts (A) & (C) (Excluding Vindhya Pradesh)								Travancore-Cochin								
		1,213	523	400	133	..	..	TOTAL	.	.	..	..	11	3	..	..
(Estd. mid-year pop. 300,082 thousands.)								Grand Total for States Part (B)								
								.	.	22	7	29	6	12	3	
Corresponding Total for w/c 11-8-56								Grand Total for States Parts (A), (B) and (C)								
		1033	444	564	134	..	..	1235	530	429	139	12	3			
Corresponding Total for w/e 11-8-56								ARREAR INFORMATION								
		1330	566	446	155	..	..	Orissa								
Corresponding 7-yearly mean for the week								w/e 30-6-56								
		1800	838	330	73	11	2	Cuttack	.	.	13	8	..	..	..	..
STATES PART (B)								Balasore	.	.	3	..	..	..	..	..
Hyderabad								Puri	.	.	76	20	..	..	..	..
Aurangabad	.	.	20	7	..	..	..	Ganjam	.	.	9	4	6	3	..	..
Gulbarga	.	.	2	..	..	..	..	Koraput	.	.	3	1	2	..	..	..
Nalgonda	.	.	..	..	2	1	..	Dhenkanal	.	.	4	2	8	1	..	..
Hyderabad	.	.	..	..	6	1	..	Bolangir-Patna	.	.	4	4	..	..	..	..
TOTAL	.	.	22	7	8	2	..	Kalahandi	.	.	..	..	3	..	..	..
Jammu & Kashmir								TOTAL	.	.	112	39	19	4	..	..
"N. R."								Hyderabad								
Madhya Bharat								w/e 23-6-56								
"N.R."								Aurangabad	.	.	..	..	1	..	..	..
Mysore								Raichur	.	.	10	2	3	2	..	..
Bangalore	.	.	..	..	..	6	1	Khammam	.	.	..	..	1	1	..	..
Shimoga	.	.	..	..	4	..	..	Nalgouda	.	.	..	..	..	1	..	..
Chitaldrug	.	.	..	..	6	1	..	Hyderabad	.	.	..	..	5	2	..	..
Tumkur	.	.	..	..	..	..	..	TOTAL	.	.	10	2	10	6	..	..
Kolar	.	.	..	..	..	6	2	Hyderabad								
TOTAL	.	.	..	..	10	11	12	w/e 30-6-56								
Patiala & East Punjab States Union								Raichur	.	.	..	..	2	..	..	..
TOTAL	.	.	..	..	..	..	..	Khammam	.	.	..	..	..	1	..	..
Rajasthan								Hyderabad	.	.	..	..	12	3	..	..
"N.R."								TOTAL	.	.	..	..	14	4	..	..
Saurashtra								Rajasthan								
TOTAL								w/e 11-8-56								
		..	..	..	..	..	..	Jodhpur	.	.	..	..	5	2	..	..
								Barmer	.	.	..	..	9	2	..	..
								TOTAL	.	.	..	..	14	4	..	..

Explanation of symbol used : C.—Cases; D.—Deaths; ..=Nil; "N. R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1956—*concl'd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Madhya Bharat						POLIOMYELITIS					
w/e 4-8-56						(Information based on patients treated in hospitals in important towns)					
TOTAL .. .. . I .. .. .						Place	Period	Cases			
w/e 11-8-56						Uttar Pradesh	1-15 August '56	3	(Paralytic)		
TOTAL .. .. . 3 .. .. .						Hyderabad	w/e 25-8-56	1	..		
w/e 18-8-56						Punjab	1-15 August '56	18	..		
TOTAL .. .. .						Punjab	16-31 July '56	18	(Paralytic)		
						(Revised)					
						Ajmer	16-31 July '56	6	..		
						-do-	1-15 August '56	1	..		
TOTAL .. .. .						-do-	16-31 August '56	2	..		

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil.

New Delhi-2 (INDIA) ;  
The 17th September, 1956. }

K. MITRA,  
for Registrar General, India

## Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 1,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

## INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and C)														
Ajmer														
Ajmer	223	120	28.0	—	..	..	9	3	7	..	36	8.4	11	
Beawar	59	17	15.0	..	..	..	10	1	3	2	21	18.5	9	
TOTAL	282	137	25.3	..	..	..	19	4	10	2	57	10.5	20	
Andhra														
Adoni	63	48	39.6	..	..	..	..	..	3	..	14	11.6	2	
Anantpur	38	21	28.7	..	..	..	1	..	1	..	4	5.5	..	
Anakapalli	46	33	37.3	..	..	..	1	1	1	..	18	20.3	7	
Bhimavaram	36	57	82.3	..	..	..	1	..	1	..	10	14.4	4	
Chirala	43	24	29.0	..	..	..	8	2	..	..	16	19.3	3	
Chittoor	45	44	50.9	..	..	..	10	..	2	..	19	22.0	3	
Cuddapah	42	25	31.0	..	..	..	..	1	..	..	4	5.0	2	
Eluru	99	44	23.1	..	1	..	15	..	2	2	34	17.9	7	
Gudivada †														
Guntur	147	215	76.1	..	2	..	6	5	6	1	69	24.4	24	
Guntakal	37	27	37.9	..	..	..	1	2	1	..	11	15.4	1	
Kakinada †														
Kurnool	68	97	74.2	..	..	..	1	1	5	1	24	18.4	4	
Masulipatnam	88	87	51.4	..	..	..	1	3	1	..	31	18.3	12	
Nandyal	37	35	49.2	—	..	..	2	3	8	..	23	32.3	4	
Nellore	95	148	81.0	..	..	..	7	6	4	..	50	27.4	12	
Proddatur	42	25	31.0	..	..	..	2	1	3	..	13	16.1	1	
Rajahmundry	122	79	33.4	..	2	..	10	4	1	..	36	15.3	9	
Tenali	67	60	46.6	..	..	..	..	5	4	..	18	14.0	7	
Vijayvada	201	158	40.9	..	..	..	14	9	4	1	57	14.8	13	
Visakhapatnam	128	70	28.4	..	3	..	8	4	12	1	57	23.1	10	
Vizianagaram	75	43	29.8	—	—	..	3	6	3	..	29	20.1	6	
TOTAL	1,519	1,340	45.9	..	8	..	91	53	62	6	537	18.4	131	
Assam														
Shillong †														
Gauhati	51	21	21.2	..	..	..	9	2	..	..	27	27.2	3	
Dibrugarh	46	4	4.5	..	..	..	..	..	1	..	2	2.2	..	
Silchar	43	13	15.7	..	..	..	1	..	..	..	2	2.2	1	
TOTAL	140	38	14.1	..	..	..	10	2	1	..	31	11.5	4	
Bhopal														
Bhopal	116	46	20.6	..	..	..	..	..	3	..	3	1.3	..	
Bihar														
Arrah	70	4	3.0	..	2	..	2	..	..	1	5	3.7	..	
Bihar	68	6	4.6	..	..	..	2	1	..	..	4	3.1	..	
Bettiah †														
Bhagalpur	126	25	10.3	..	..	..	3	..	..	..	17	7.0	..	
Chapra	69	48	36.2	1	..	..	1	..	..	2	10	7.5	..	
Darbhanga	93	23	12.9	..	..	..	3	..	..	..	8	4.5	..	
Dhanbad	41	10	12.7	..	..	..	1	..	..	..	5	6.3	..	
Dinapur	44	5	5.9	..	..	..	..	..	1	2	4	4.7	..	
Gaya	149	66	23.0	..	..	..	23	2	5	..	55	19.2	..	
Hazaribagh	39	5	6.7	..	..	..	..	..	..	..	2	2.7	2	
Jamalpur	47	5	5.5	1	..	..	..	2	..	..	5	5.5	..	
Jamshedpur	246	127	26.8	..	..	..	2	..	6	..	23	4.9	13	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; N. R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bihar—contd.														
Katihar . . .	51	5	5.1	..	..	..	2	..	..	—	6	6.1	4	
Monghyr†														
Muzaffarpur . .	84	47	29.1	..	..	..	3	1	—	..	28	17.3	..	
Patna . . .	330	126	19.9	..	..	..	5	..	1	..	44	6.9	..	
Purulia . . .	47	7	7.7	—	..	..	3	..	..	..	3	3.3	..	
Ranchi . . .	130	26	10.4	..	..	..	6	..	..	..	17	6.8	7	
TOTAL . . .	1,634	535	17.0	2	2	..	56	6	13	5	236	7.5	26	
Bombay														
Ahmedabad . . .	889	966	56.5	..	..	..	21	36	72	..	435	25.4	153	
Ahmednagar . .	88	92	54.4	..	..	..	1	2	1	..	20	11.8	5	
Amalner . . .	50	44	45.8	..	..	..	4	..	1	..	11	11.4	1	
Bagalkot . . .	36	26	37.6	..	..	..	4	1	2	..	14	20.2	2	
Baroda . . .	242	219	47.1	..	..	..	17	5	9	..	70	15.0	19	
Barsi . . .	46	44	49.7	..	..	..	3	2	2	..	19	21.5	5	
Belgaum . . .	110	44	20.8	..	..	..	2	2	4	1	23	10.9	2	
Bhusawal . . .	63	31	26.0	..	..	..	5	..	..	..	11	9.2	4	
Bijapur . . .	75	48	33.3	..	..	..	3	1	2	1	12	8.3	3	
Broach †														
Cambay . . .	41	68	86.2	..	1	..	2	..	..	..	14	17.7	4	
Chalisgaon . .	35	25	37.1	..	..	..	8	1	..	..	9	13.4	2	
Dharwar . . .	76	61	41.7	..	..	..	..	..	..	1	24	16.4	1	
Dhulia . . .	89	54	31.6	..	..	..	5	2	3	..	16	9.3	3	
Gadag Betgeri .	71	49	35.9	..	..	..	6	..	6	1	35	25.6	8	
Godhra . . .	40	39	50.7	..	..	..	6	..	..	..	9	11.7	1	
Greater Bombay .	3,449	1,585	23.9	..	..	..	2	48	128	4	708	10.7	221	
Hubli . . .	148	66	23.2	..	..	..	2	1	2	..	19	6.7	2	
Jalgaon†														
Kalyan . . .	73	34	24.2	..	..	..	2	..	1	..	10	7.1	2	
Kolhapur . . .	159	126	41.2	..	..	..	2	2	3	..	34	11.1	7	
Malegaon . . .	63	56	46.2	..	..	..	4	..	..	1	8	6.6	1	
Miraj . . .	44	24	28.3	..	..	..	1	2	..	..	12	14.2	1	
Nadiad . . .	71	52	38.0	..	..	..	17	..	..	1	22	16.1	3	
Nandurbar . . .	35	25	37.1	..	..	..	1	..	..	1	12	17.8	4	
Nasik†														
Navasari . . .	50	44	45.8	..	..	..	7	..	1	..	14	14.6	7	
Pandharpur . .	44	32	37.8	..	..	..	3	6	9	..	28	33.0	9	
Patan . . .	47	66	73.0	..	..	..	8	..	3	..	31	34.3	9	
Poona . . .	657	298	25.5	..	..	..	7	5	18	1	116	9.9	42	
Sangli . . .	58	48	43.0	..	..	..	3	2	1	..	10	9.0	3	
Satara . . .	40	29	37.7	..	..	..	2	..	1	..	10	13.0	1	
Sholapur . . .	299	320	55.7	..	..	..	10	10	40	..	123	21.4	31	
Surat . . .	250	182	37.8	..	..	..	12	7	22	1	104	21.6	30	
Thana . . .	61	34	29.0	..	..	..	2	..	1	..	11	9.4	2	
TOTAL . . .	7,448	4,831	33.7	..	1	..	172	135	332	13	1,994	13.9	588	
Delhi State														
Delhi City . . .	1,124	841	38.9	..	..	..	82	16	21	2	203	9.4	69	
New Delhi . . .	374	283	39.3	..	..	..	1	7	1	..	91	12.6	15	
N.A.C. Civil Station, Delhi	117	167	74.2	..	1	..	1	..	4	..	16	7.1	7	
Delhi Cantt. . .	50	35	36.4	..	..	..	..	..	..	..	1	1.0	..	
Delhi-Shahadra .	53	55	54.0	..	..	..	2	3	1	..	11	10.7	2	
TOTAL . . .	1,718	1,381	41.8	..	1	..	86	26	27	2	322	9.7	93	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—*contd.*

Town		Mid-year Popn. Est. (000)	B.	B.R.*	C.	Deaths from :—								Total	D.R.*	I.D.
						S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh																
Achalpur	.	38	38	52.0	..	..	..	2	2	1	..	12	16.4	5		
Akola	.	104	92	46.0	..	..	..	7	5	2	..	34	17.0	5		
Amravati†																
Bilaspur†																
Burhanpur	.	79	55	36.2	..	..	..	8	4	4	..	26	17.1	..		
Chanda	.	43	22	26.6	..	..	..	6	..	..	..	19	23.0	2		
Chindwara†																
Damoh	.	42	37	45.8	..	..	..	2	2	1	..	14	17.3	..		
Gondia†																
Hinganghat†																
Jabalpur †																
Khandwa	.	59	36	31.7	..	..	..	3	2	..	..	11	9.7	..		
Khangaon†																
Kamptee†																
Murwara†																
Itarsi	.	30	21	38.4	..	..	..	2	..	..	..	3	5.2	2		
Nagpur†																
Sagar†																
Raipur †																
Raigarh †																
Wardha †																
Yeotmal †																
TOTAL	.	395	301	39.6	..	..	..	30	15	8	..	119	15.7	14		
Madras																
Ambur	.	44	37	43.7	..	..	..	..	1	2	..	6	7.1	..		
Aruppukottai	.	56	56	52.0	..	..	..	5	5	3	1	29	27.0	7		
Bodinayakanur	.	40	20	26.0	..	..	..	..	1	4	..	13	16.9	3		
Cannanore	.	47	32	35.4	..	..	..	..	1	2	..	15	16.6	3		
Chidambaram	.	39	38	50.7	..	..	..	..	1	1	..	14	18.7	1		
Coimbatore	.	234	207	46.0	..	..	..	1	14	14	..	70	15.6	20		
Cuddalore	.	74	50	35.1	..	..	..	2	3	3	2	20	14.1	4		
Dindigul	.	90	70	40.4	..	..	..	3	..	..	1	12	6.9	3		
Erode	.	67	72	55.9	..	..	..	..	4	2	..	24	18.6	10		
Gobichetty Palyan	.	38	24	32.8	..	..	..	..	2	1	..	8	11.0	..		
Guddiyattam	.	53	46	45.1	..	..	..	2	..	1	1	7	6.9	2		
Kancheepuram	.	90	61	35.2	..	1	..	1	5	7	4	27	15.6	5		
Karalkudi	.	44	48	56.7	..	..	..	4	1	1	..	19	22.5	11		
Karur	.	50	38	39.5	..	..	..	1	1	2	..	14	14.6	3		
Kozhikode	.	176	84	24.8	..	..	..	6	3	7	..	47	13.9	13		
Kumbakonam	.	105	118	58.4	..	..	..	3	1	1	2	39	19.3	9		
Madras	.	1,703	1,539	47.0	..	1	..	69	151	159	1	695	21.2	199		
Mangalore	.	136	155	59.3	..	..	..	2	..	6	..	52	19.9	6		
Mathurai	.	427	319	38.8	..	..	..	10	15	50	2	173	21.1	49		
Mayuram †																
Malapalyam	.	41	17	21.6	..	..	..	1	2	2	..	8	10.1	1		
Nagapattinam	.	60	70	60.7	..	..	..	5	3	2	..	32	27.7	6		
Ootacamund	.	47	44	47.7	..	..	..	..	..	5	..	9	9.7	5		
Palni	.	40	36	46.8	..	..	..	2	1	8	..	18	23.4	5		
Palayamkottai	.	45	67	77.4	..	..	..	2	1	6	1	28	32.4	8		
Palghat	.	77	56	37.8	..	..	..	1	1	7	..	25	16.9	1		
Periyakulam	.	34	31	47.4	..	..	..	1	..	..	..	13	19.9	3		
Pollachi	.	51	46	46.9	..	..	..	..	2	6	..	23	23.5	7		
Pudukottai	.	50	80	83.2	..	..	..	..	1	1	..	12	12.5	2		
Rajapalayam	.	69	40	30.1	..	..	..	1	1	4	1	16	12.1	2		

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile deaths (included in total deaths) ; ..N.I.—Information. "N. R." Information not Received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—*contd.*

## Deaths from—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Madras—contd.</b>													
Salem†													
Srirangam	42	25	31.0	..	..	..	..	2	3	..	16	19.8	5
Srivilliputtur†													
Tanjore	118	134	59.1	..	..	..	3	1	2	..	15	6.6	1
Tellicherry	42	38	47.0	..	..	..	1	..	1	1	18	22.3	1
Tiruvannamalai	45	44	50.8	..	..	..	2	2	..	1	25	28.9	8
Tirunelveli	80	62	40.3	..	..	..	..	7	7	1	34	22.1	13
Tiruppur	63	62	51.2	..	..	..	..	2	1	..	9	7.4	1
Tiruchirappalli	251	248	51.4	..	..	..	6	5	7	..	55	11.4	11
Tuticorin	111	92	43.1	..	2	..	8	7	19	..	77	36.1	26
Vaniyambadi	43	32	38.7	..	..	..	1	4	4	..	15	18.1	5
Vellore	124	120	50.3	..	..	..	2	5	9	..	49	20.5	13
Villupuram	39	49	65.3	..	..	..	1	2	5	..	16	21.3	1
Virudunagar	53	40	39.2	..	..	..	..	3	1	..	10	9.8	3
TOTAL	5,039	4,447	45.9	..	4	..	146	261	366	19	1,807	18.6	476
<b>Orissa</b>													
Berhampur	72	70	50.6	..	..	..	3	3	2	..	23	16.6	9
Cuttack	117	123	54.7	..	..	..	9	8	8	..	67	29.9	13
Puri	53	41	40.3	..	..	..	11	3	6	..	34	33.5	7
TOTAL	242	234	50.3	..	..	..	23	14	16	..	124	26.7	29
<b>Pondicherry</b>													
Pondicherry	68	100	76.5	..	6	..	6	7	9	5	48	36.7	6
<b>Punjab (1)</b>													
Ambala	65	67	53.5	..	..	..	4	4	1	..	15	12.0	4
Amritsar	343	214	32.4	..	..	..	2	12	32	2	103	15.5	24
Batala	62	32	27.0	..	..	..	5	6	5	..	24	20.0	10
Bhiwani	57	52	47.5	..	..	..	8	..	2	..	11	10.0	6
Perozepore	45	36	41.5	..	..	..	..	..	2	..	6	7.0	2
Hissar	39	28	37.2	..	..	..	4	1	..	..	13	17.2	6
Hoshiarpur	51	31	31.3	..	..	..	3	..	4	..	10	10.0	3
Jullundur	200	131	34.0	..	..	..	11	11	12	..	46	12.0	14
Karnal	72	37	26.5	..	..	..	..	2	1	..	10	7.0	2
Ludhiana	176	115	34.0	..	..	..	11	..	1	..	31	9.0	13
Moga	41	34	43.2	..	..	..	..	1	..	..	4	5.0	2
Panipat	64	56	45.4	..	..	..	6	..	1	..	9	7.2	2
Pathankott†													
Rewari	36	33	47.7	..	..	..	4	..	1	..	8	11.3	1
Rohtak	105	72	35.7	..	..	..	4	2	..	1	11	5.3	4
Simla	50	37	38.2	..	..	..	..	..	1	..	7	7.1	5
Sonapat	34	36	55.2	..	..	..	7	..	1	..	12	18.3	4
TOTAL	1,440	1,011	36.5	..	..	..	69	39	64	3	320	11.6	102
<b>Uttar Pradesh</b>													
Agra	375	571	79.4	..	..	..	..	9	41	..	98	13.5	35
Allahbad	349	167	25.0	..	..	..	1	4	33	..	70	10.4	21
Amroha	61	57	48.7	..	..	..	5	4	10	..	37	31.1	14
Bahraich	47	21	23.4	..	..	..	3	3	1	..	9	10.0	4
Banaras	383	327	44.4	..	..	..	51	19	10	..	188	25.5	47
Ballia	55	4	6.0	..	..	..	2	..	..	..	6	9.0	1

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Uttar Pradesh—<i>contd.</i></b>													
Bijnor . . .	32	28	44.5	..	..	..	4	1	1	..	10	16.1	4
Banda†													
Bareilly . . .	203	76	19.6	..	..	..	10	5	8	..	34	8.7	9
Budaun . . .	54	35	33.8	..	..	..	1	2	3	..	16	15.4	4
Basti†													
Bulandshahr†													
Chandausi . . .	41	43	54.5	..	..	..	8	9	3	..	27	34.2	8
Dehra Dun . . .	146	60	21.5	..	..	..	1	5	2	1	19	6.8	5
Etawah . . .	64	70	57.2	..	..	..	11	6	7	..	52	42.5	16
Falzarbad-Ayodhya . . .	88	31	18.4	..	..	..	1	2	..	..	11	6.5	1
Farrukhabad-Patchgarh . . .	82	58	37.0	..	..	..	10	2	3	..	28	17.8	11
Ferozabad . . .	79	82	54.3	..	..	..	2	..	..	..	13	8.6	2
Ghaziabad . . .	46	26	29.5	..	..	..	12	..	1	..	15	17.0	3
Ghaziipur . . .	36	29	42.0	..	..	..	4	3	1	..	15	21.8	1
Gorakhpur . . .	140	86	32.0	2	..	..	6	2	8	..	32	11.9	8
Gonda . . .	35	15	22.4	..	..	..	1	1	..	..	8	11.9	4
Hapur . . .	49	57	60.6	..	..	..	9	1	..	..	14	14.6	2
Hardwar . . .	64	37	30.2	..	..	..	15	2	1	..	27	22.0	3
Hathras . . .	62	83	70.0	..	2	..	16	1	6	..	39	32.9	16
Jaunpur . . .	56	40	37.3	..	..	..	3	1	4	..	12	11.2	1
Jhansi . . .	116	157	70.8	..	..	..	15	3	..	..	37	16.7	16
Kanpur . . .	734	439	31.3	..	..	..	155	26	54	8	417	29.7	109
Kasganj . . .	34	16	24.6	1	..	..	6	1	..	..	8	12.3	2
Khurja . . .	41	39	49.5	..	..	..	2	4	3	..	15	19.0	3
Koil-Allgarh . . .	150	81	28.2	4	..	..	10	3	2	1	37	12.9	7
Lucknow . . .	494	537	56.8	..	..	..	22	10	19	..	155	16.4	41
Mathura . . .	110	92	43.7	..	..	..	8	4	2	..	20	9.5	5
Mau-Nath Bhanjan†													
Meerut . . .	185	74	20.9	..	..	..	9	..	11	1	33	9.3	15
Mirzapur-Vindhyachal . . .	97	56	30.2	..	..	..	9	3	1	..	21	11.3	4
Moradabad . . .	164	125	39.8	..	..	..	15	2	10	1	45	14.3	11
Muzaffarnagar . . .	74	31	21.9	..	..	..	6	..	1	..	11	7.8	5
Pilibhit . . .	45	26	30.2	..	..	..	5	1	1	..	13	15.0	1
Rampur†													
Saharanpur . . .	162	142	45.8	..	..	..	33	4	1	..	52	16.8	13
Sambhal . . .	65	61	49.0	..	..	..	5	3	4	..	31	16.8	10
Shahjahanpur†													
Sitapur . . .	49	18	19.1	..	..	..	2	1	..	..	10	10.6	5
<b>TOTAL . . .</b>	<b>5,047</b>	<b>3,897</b>	<b>40.2</b>	<b>7</b>	<b>2</b>	<b>..</b>	<b>478</b>	<b>147</b>	<b>252</b>	<b>12</b>	<b>1,675</b>	<b>17.3</b>	<b>467</b>

West Bengal

"N.R."

#### STATES—(Part B)

Hyderabad

"N.R."

Jammu & Kashmir

"N.R."

Madhya Bharat

Greater Gwalior . . .	273	65	12.4	..	..	..	3	..	1	..	9	1.5	1
Indore . . .	368	125	17.7	..	..	..	9	1	8	5	77	10.9	59
Ujjain . . .	156	59	19.7	..	..	..	8	3	..	2	31	10.3	9
Ratlam . . .	73	31	22.1	..	..	..	15	..	2	..	24	17.1	..
Mandsaur . . .	41	18	22.8	..	..	..	3	..	..	..	3	3.8	..
<b>TOTAL . . .</b>	<b>911</b>	<b>298</b>	<b>17.0</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>38</b>	<b>4</b>	<b>11</b>	<b>7</b>	<b>144</b>	<b>8.2</b>	<b>69</b>

\*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Mysore</b>													
Chitaldrug	31	8	13.4	..	..	..	1	..	..	..	1	1.7	..
Bangalore	977	597	31.8	..	..	..	10	65	94	..	311	16.5	..
Mysore	294	231	40.9	..	..	..	7	3	..	..	22	3.9	..
Kolar Gold Fields	173	131	39.4	..	..	..	3	12	3	..	35	10.5	..
Bellary	78	77	51.2	..	..	..	2	2	1	..	21	14.0	..
Davangere	69	31	23.4	..	..	..	..	..	..	..	6	4.5	..
Hospet	45	22	25.4	..	..	..	2	1	1	1	7	8.1	..
Shimoga	57	29	26.5	..	..	..	11	..	..	..	12	10.9	..
TOTAL	1,724	1,126	34.0	..	..	..	36	83	99	1	415	12.5	..
<b>PEPSU</b>													
Patiala City	111	101	47.3	..	..	..	10	3	2	..	34	15.9	14
Malerkotla	34	26	39.8	..	..	..	7	1	1	..	15	22.9	6
Bhatinda	39	28	37.3	..	..	..	3	..	..	..	3	4.0	2
TOTAL	184	155	43.8	..	..	..	20	4	3	..	52	14.7	22
<b>Rajasthan</b>													
Alwar	60	25	21.7	..	..	..	1	1	2	..	5	4.3	..
Bharatpur†	..	..	..	..	..	..	..	..	..	..	..	..	..
Bikaner	117	30	13.3	..	..	..	..	4	6	..	18	8.5	6
Churu	48	6	6.4	..	..	..	..	..	..	1	2	2.2	..
Ganganagar	..	..	..	..	..	..	..	..	..	..	..	..	..
Tonk†	..	..	..	..	..	..	..	..	..	..	..	..	..
Kotah	72	13	9.4	..	..	..	11	..	..	..	26	18.8	5
Sikar†	..	..	..	..	..	..	..	..	..	..	..	..	..
Jaipur†	..	..	..	..	..	..	..	..	..	..	..	..	..
Udaipur†	..	..	..	..	..	..	..	..	..	..	..	..	..
Jodhpur†	..	..	..	..	..	..	..	..	..	..	..	..	..
TOTAL	297	74	13.0	..	..	..	12	5	8	1	51	8.9	11
<b>Travancore-Cochin</b>													
Alleppey	148	45	15.8	..	..	..	..	2	1	..	9	3.2	..
Changanacherry	41	18	22.8	..	..	..	1	2	..	..	6	7.6	1
Ernakulam	70	30	22.4	..	..	..	2	..	..	..	10	7.4	2
Kottayam	50	82	85.3	..	..	..	1	2	..	..	20	20.8	1
Mattancherry	85	19	11.6	..	..	..	1	1	..	..	12	7.3	1
Nagercoil	94	28	15.5	..	..	..	3	1	..	..	9	5.0	..
Quilon	75	54	37.4	..	..	..	1	..	..	..	13	9.0	3
Trichur	76	24	16.4	..	..	..	2	1	..	..	9	6.2	..
Trivandrum City	218	160	38.2	..	..	..	6	5	5	..	55	13.1	6
TOTAL	857	460	27.9	..	..	..	17	14	6	..	143	8.7	14
<b>Saurashtra</b>													
Bhavnagar	157	132	43.7	..	..	..	10	14	5	..	58	19.2	18
Dhoraji	47	19	21.0	..	..	..	3	1	4	..	16	17.7	4
Gondal	41	22	27.9	..	..	..	4	1	2	..	10	12.7	3
Jamnagar	122	31	13.2	..	..	..	9	2	4	..	21	9.0	8
Junagadh	65	36	28.8	..	..	..	7	2	1	1	20	16.0	9
Morvi	43	21	25.4	..	..	..	2	..	..	..	3	3.6	1
Porbandar	64	23	18.7	..	..	..	6	2	4	..	18	14.6	5
Rejkot	167	90	28.0	..	..	..	10	8	2	..	39	12.1	17
Surendranagar†	..	..	..	..	..	..	..	..	..	..	..	..	..
Veraval	46	15	17.0	..	..	..	5	..	3	..	12	13.6	3
TOTAL	752	389	26.9	..	..	..	56	30	25	1	197	13.6	68

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>ARREAR RETURNS</b>													
<b>West Bengal</b>													
<i>For w/e 18-8-56</i>													
Asansol†													
Baldyabati†													
Bally . . . . .	66	6	4.7	..	..	..	1	..	1	..	4	3.2	..
Bankura . . . . .	50	25	26.0	..	..	..	..	..	..	1	5	5.2	..
Bansberia† aranagar . . . . .	90	31	47.6	..	1	..	1	3	1	..	19	29.2	6
Basirhat . . . . .	39	4	5.4	..	..	..	..	..	..	..	..	..	..
Berhampur . . . . .	64	49	40.0	..	..	..	7	1	2	..	19	15.5	1
Bhadreshwar . . . . .	34	8	12.2	..	..	..	1	2	..	..	4	6.22	2
Bhatpara . . . . .	143	9	3.2	..	..	..	9	2	..	..	26	9.5	7
Budge Budge . . . . .	32	4	6.5	..	..	..	..	..	1	..	2	3.3	..
Burdwan . . . . .	82	32	20.4	..	..	..	..	1	1	..	10	6.4	..
Calcutta . . . . .	2,984	15,26	26.7	3	4	..	47	68	126	1	640	11.2	142
Champdani . . . . .	41	10	12.8	..	..	..	..	..	..	..	2	2.6	..
Cooch Behar†													
Darjeeling†													
English Bazar . . . . .	36	19	27.6	..	..	..	..	..	..	..	2	2.9	..
Garden Reach . . . . .	124	18	7.6	..	1	..	3	4	..	..	12	5.1	2
Halisbar . . . . .	41	3	3.8	..	..	..	..	..	..	..	6	7.7	1
Hoogly-Chinsurah . . . . .	60	79	68.7	..	..	..	1	1	..	..	11	9.6	2
Howrah . . . . .	477	188	20.5	2	5	..	10	12	28	..	119	13.0	51
Jalpaiguri†													
Kamarhati†													
Kanchrapura . . . . .	74	11	7.8	..	..	..	..	..	..	..	2	1.4	..
Krishnanagar . . . . .	56	..	..	..	..	..	..	..	..	..	..	..	..
Midnapore . . . . .	45	48	55.8	..	..	..	..	1	1	..	11	12.8	..
Nabadwip . . . . .	70	41	30.6	..	..	..	7	1	..	1	11	8.2	1
Naihati . . . . .	62	3	2.5	..	..	..	2	1	2	..	7	5.9	..
North Barrackpore . . . . .	36	3	4.3	..	..	..	..	2	..	..	2	2.9	..
Panihati . . . . .	65	..	..	..	..	..	..	..	..	..	..	..	..
Shantipur . . . . .	49	15	16.0	..	..	..	..	..	..	..	1	1.1	..
Serampore . . . . .	83	41	25.8	..	..	..	3	6	3	..	24	15.1	4
Siliguri†													
South Dum Dum†													
South Suburban . . . . .	124	5	2.1	..	..	..	1	5	1	..	10	4.2	5
Titagarh . . . . .	78	24	16.1	..	..	..	2	2	2	1	7	4.7	1
TOTAL . . . . .	5,105	2,202	22.4	5	11	..	95	112	169	4	956	9.7	225

### Assam

*For w/e 28-7-56*

Shillong†													
Gauhati . . . . .	51	5	5.1	..	..	..	11	1	..	..	18	18.4	1
Dibrugarh . . . . .	46	4	4.8	..	..	..	..	..	..	..	..	..	..
Silchar . . . . .	43	17	20.6	..	..	..	..	..	..	..	4	4.8	..
TOTAL . . . . .	140	26	9.7	..	..	..	11	1	..	..	22	8.2	1

*For w/e 18-8-56*

Gauhati . . . . .	51	13	13.2	..	..	..	6	..	..	..	10	10.1	..
-------------------	----	----	------	----	----	----	---	----	----	----	----	------	----

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 25th August, 1956—concl'd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan														
For w/e 18-8-56														
Alwar	60	45	39·0	..	1	..	3	1	2	..	16	13·9	..	
Bharatpur	38	13	17·8	..	..	..	3	..	..	..	4	55	..	
Bikaner†														
Churu	48	..	..	..	..	..	1	..	..	..	2	2·2	..	
Ganganagar	47	2	2·2	..	1	..	7	3	..	..	24	26·5	..	
Tonk	45	4	4·6	..	..	..	1	..	..	..	3	3·5	..	
Kotah	72	15	10·8	..	..	..	2	..	..	..	4	2·9	..	
Sikar†														
Jaipur	353	63	9·3	..	..	..	19	4	9	1	71	10·5	19	
Udaipur†														
Jodhpur†														
TOTAL	663	142	11·1	..	2	..	36	8	11	1	124	9·7	20	
Madhya Pradesh														
For w/e 11-8-56														
Burhanpur	79	72	47·4	..	..	..	6	..	..	..	12	7·9	..	
Khandwar	59	35	30·8	..	..	..	3	..	..	..	13	11·5	..	
Bombay														
For w/e 28-7-56														
Bijapur	75	41	23·4	..	..	..	5	2	1	..	22	15·3	2	
For w/e 4-8-56														
Bijapur	75	56	38·8	..	..	..	3	1	..	1	9	6·2	..	
Pandharpur	44	29	34·3	..	..	..	4	3	5	1	22	26·0	5	
For w/e 11-8-56														
Ahmedabad	889	143	8·4	..	..	..	5	4	12	..	64	3·8	28	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N. R."—Information not received.

†Figures not available.

## REMARKS

The figures of births and deaths shown in this statement for week ending the 25th August, 1956, relate to 223 towns with an estimated population of 29,813 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 70% of the total number of towns representing 72% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 20,799 and 8,275 representing birth and death rates of 36.3 and 14.4 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 185 towns with an estimated population of 25,088 thousands. Information about West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 73% of the total number of towns representing 75% of the total population is covered. The number of births and deaths recorded in these towns were 18,298

and 7,273 representing birth rates and death rates of 37.9 and 15.1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 38 towns with an estimated population of 4,725 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 58% of the total number of towns representing 58% of the total population is covered. The number of births and deaths recorded in these towns were 2,501 and 1,002 representing birth and death rates of 27.5 and 11.0 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 25-8-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	25.3	10.5	†	†	42.0	13.9
Andhra	45.9	18.4	43.0	14.9	—	—
Bihar	17.0	7.5	23.3	11.0	15.0	9.2
Bombay	33.7	13.9	40.3	14.3	37.1	16.9
Delhi	41.8	9.7	42.8	8.4	47.5	12.2
Madhya Pradesh	39.6	15.7	41.5	15.1	39.8	20.8
Madras	45.9	18.6	48.3	18.9	†	†
Orissa	50.3	26.7	48.9	19.3	50.0	20.6
Punjab (I)	36.5	11.6	37.8	8.9	44.5	12.3
Uttar Pradesh	40.2	17.3	48.3	15.8	44.2	19.5
India*	37.9	15.1	43.0	14.8	40.8	18.5

\* 8 Part 'A' States and 2 Part 'C' States

† Figures not available.

NEW DELHI-2 (INDIA) :

The 17th September, 1956

K. MITRA,  
for Registrar General, India.